


INDEX MAPS.

T. 29N, R. 10E. 2<sup>nd</sup> Mer.



T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

Township No. 29 North of Range No. 10 East 2<sup>nd</sup> Mer. Indian

South Boundary

West On South Boundary of Sec 30 var. 5°  
 22 02 An Ash 18 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a Beech 18 in. diam. bears N. 41 W. 16 links dist. &  
 a Sugar 16 " " " N. 83 E. 21 " "  
 63 03 A Beech 16 " "  
 80. 00 Set a Post cor. to Sec. 35 & 36 from which  
 an Elm 24 in. diam. bears N. 48 E. 20 links dist. &  
 a Hickory 15 " " " N. 37 W. 19 " "  
 Land level & wet. Timber. Beech. Oak.  
 Elm. Ash. Hickory. Lyrn. Sycamore.  
 Maple &c. Undergrowth Spice. Haws &c.

West On South Boundary of Sec 35  
 21, 30 A Beech 24 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a Beech 36 in. diam. bears N. 68 E. 14 links dist. &  
 a Sugar 14 " " " N. 82 E. 31 " "  
 55 14 A Cottonwood 12 in. diam.  
 70. 00 Enter Wet Prairie  
 80. 00 Set a Post Cor. to Sec. 34 & 35 in the Prairie  
 and raised a Mound  
 Land on East, 1/2 mile rolling & good.  
 West 1/2 " except the Prairie  
 rolling barrens. Wet Prairie

West On South Boundary of Sec 34  
 12 00 Leave the Prairie  
 22. 58 A Cottonwood 12 in. diam.  
 40. 00 Set a q. Sec. post. from which  
 a Beech 36 in. diam. bears N. 34 W. 20 links dist. &  
 a Oak 40 " " " N. 72 E. 25 " "  
 63. 00 Intersect the Left Bank of Little River  
 and set a Post. from which  
 a Red Oak 36 in. diam. bears N. 63 E. 19 links dist. & No 1



## T29 N. R. 10 E 2nd Mer. Indiana.

a Hickory 18 in. diam. bears S 34 W 34 links dist.  
Land level & met.

There is a small strip of Wet Dry land  
of a few chains in width along the West  
Margin of Little River

Nov. 8<sup>th</sup> 1829

Surveyed by  
C. Carter D.S.

West On South Boundary of Sec. 34

Beginning at the Post on the East Bank of  
Little River. Var. 6° 20' E.

5. 00 Set a Post on the West Bank of Little River  
from which  
a Willow 4 in. diam. bears S 41 W 12 links dist. &  
a Plumbush 6 in. " " N. 64 E. 58 " "

20. 10 Set a Post cor. to Sec. 33 & 34 from which  
a B. Oak 14 in. diam. bears East 35 links dist. &  
an Elm 15 " " " N. 21 W. 16 " "

West On South Boundary of Sec. 33

23. 55 A Burr Oak 24 in. diam.

40. 00 Set a gp. Sec. post from which  
an Elm 16 in. diam. bears N. 79 E 20 links dist. &  
a Burr Oak 16 in. " " N. 51 W 31 " "

52. 28 A Stream 16 links wide. Course South.

57. 35 A B. Ash 26 in. diam.

60. 00 Set a Post cor. to Sec. 32 & 33 from which  
a W. Oak 18 in. diam. bears N. 58 E 48 links dist. &  
a Do. 21 " " " N. 41 W. 51 " "

Land not described

West On South Boundary of Sec. 32

28. 27 An Elm 15 in. diam.

40. 00 Set a gp. Sec. post from which  
a Burr Oak 24 in. diam. bears N. 43 E. 16 lks. dist. &  
a Sugar 18 " " " N. 42 W 22 " "

T 39 N. R 10 E. Ind Mer. Indiana

1014

66, 24 A W. Oak in. diam.  
 80, 00 Set post cor. to Sec? 31 & 32 from which  
 a Burr Oak 22 in. diam. bears N. 77 E. 87 links dist. &  
 a W. Oak 20 " " " N. 48 W. 57 " "  
 Land not described

West On South Boundary of Sec 31  
 20, 87 A W. Oak 24 in. diam.  
 40, 00 Set a g. Sec post from which  
 an H. Oak 24 in. diam. bears N. 67 E. 35 links dist. &  
 a Hickory 8 " " " N. 41 W. 47 " "  
 53, 87 An H. Oak 33 " "  
 80, 90 Intersect the Sump? Town Corner 17 links North  
 of the Post. Set post cor. to Towns 28. & 29 N.  
 Ranges 9 & 10 East. Sec? 1, 6, 31. & 36. from which  
 a W. Oak 24 in. diam. bears N. 63 E. 11 links dist. &  
 a Hickory 18 " " " N. 08 W. 30 " "  
 Land level & a rate. Timber. Oak. Underg<sup>th</sup>  
 Maple. & Plum-bushes.  
 November 5<sup>th</sup> Surveyed by  
 David Willis.

East Boundary.

North On East Boundary of Sec 36  
 27, 53 A Beech 20 in. diam.  
 40, 00 Set a g. Sec post from which  
 a W. Oak 22 in. diam. bears N. 76 E. 22 links dist. &  
 a Beech 36 " " " N. 76 W. 15 " "  
 41, 33 A Beech 24 " " Old sight tree.  
 80, 00 Set a Post cor. to Sec? 25 & 36 from which  
 a Beech 20 in. diam. bears S. 82 E. 17 links dist. &  
 a Poplar 30 " " " N. 82 W. 54 " "  
 Land rolling & good. Timber. Oak. Ash. Elm  
 Sugar. Hickory. Poplar. Lyrnn. &c. &c.

North On East Boundary of Sec 25.

## T 29 N. R. 10. E. 2nd Mer. Indiana

2. 00 A Stream 6 links wide. Course East  
 30. 78 A Beech 24 in. diam?  
 40. 00 Set a g. the post from which  
 a Beech 22 in. diam. bears N. 41 E. 36 links dist, &  
 a Do 10 " " " S. 79 W. 18 " "  
 46. 50 Longlois Creek 60 links wide, Course N. W.  
 50. 00 Same Stream " " " N. E.  
 52. 00 Same " " " N. W.  
 57. 00 Same " " " N. E.  
 63. 83 A Beech 14 in. diam?  
 71. 50 Longlois Creek Course N. W.  
 76. 00 Same Stream " N. E.  
 80. 00 Set a post cor. to Sec. 24 & 25 from which  
 a Spruce 18 in. diam. bears N. 57 W. 57 links dist, &  
 an Elm 24 " " " S. 35 W. 65 " "  
 Land. South  $\frac{1}{2}$  mile rolling & good. North  $\frac{1}{2}$  mile  
 Creek bottom. The bottoms on this Creek are  
 narrow and overflowed.

- North On East Boundary of Sec 24  
 2. 00 Longlois Creek. Course N. W.  
 29. 96 A Buckeye 18 in. diam?  
 40. 00 Set a g. the post from which  
 a W. Oak 18 in. diam. bears N. 25 W. 56 links dist, &  
 a Hickory 16 " " " S. 57 W. 16 " "  
 43. 57 A W. Oak 36 " " Old sight tree.  
 69. 10 A W. Oak 18 " "  
 80. 00 Set a Post cor. to Sec. 13 & 24 from which  
 a Beech 14 in. diam. bears N. 44 E. 21 links dist,  
 a Do 12 " " " S. 69 W. 14 " "  
 Land rolling & good. Timber Beech. Oak.  
 Ash. Elm. Sugar. Poplar. Spruce. Buckeye &c.  
 Underg<sup>th</sup> Spice &c.

- North On East Boundary of Sec 13  
 20. 97 An Elm 24 in. diam?

T. 29 N. R. 10. E 2<sup>nd</sup> Mer. Indiana.

406

- 36 11 A Beech 50 in? diam. { Old sight tree.  
 40.00 Set a q. Sec post from which  
 a Beech 14 in? diam? bears N. 53 W. 23 links dist, &  
 a Do. 55 " " " S. 54 W. 32 " "  
 62 79 An Ash 24 " "  
 80.00 Set a Post cor. to Sec? 12 113 from which  
 a Beech 14 in? diam? bears S. 36 W. 32 links dist, &  
 a Do 20 " " " S. 54 W. 38 " "  
 Land rolling 2<sup>nd</sup> rate. Timber. Beech. Oak.  
 Ash. Elm. Sugar. Poplar. Hickory. Gynn. &c.  
 Undergth. Spice &c.

- North On East Boundary of Sec 12  
 16.50 A Brook 15 links wide. Course  
 19.94 A Beech 18 in? diam?  
 24.08 A Gynn 24 " " Old sight tree.  
 40.00 Set a q. Sec post from which a  
 Beech 8 in? diam? bears N. 67 W. 27 links dist, &  
 an Ironwood 8 in? " " S. 8 W. 29 " "  
 71.25 A Sugar 24 " " "  
 80.00 Set a Post cor. to Sec? 1 112 from which  
 a Beech 10 in? diam? bears N. 16 W. 33 links dist, &  
 a Do 18 " " " S. 78 W. 33 " "  
 Land rolling good 2<sup>nd</sup> rate. Timber. Beech. Sugar.  
 Oak Elm. Ash. Poplar. Gynn. Hickory. Walnut,  
 Buckeye &c. Undergth. Spice &c.

- North On East Boundary of Sec 1  
 21.92 A Black Oak 36 in? diam?  
 40.00 Set a q. Sec post from which  
 an Ash 36 in? diam? bears N. 48 W. 28 links dist, &  
 a Do 24 " " " S. 30 W. 44 " "  
 42.90 Intersect the Left Bank of Little River. Set Post  
 between Sec? 1 & 6? from which  
 an Ash 36 in? diam? bears N. 83 E. 17 links dist, &  
 an Elm 28 " " " S. 73 W. 31 " "



## T 29 N R 10 E 2nd Mer. Indiana.

Land level & wet being overflowed. swampy  
bottom of Little River  
December 2nd 1839.

North On East Boundary of the 1 Continued.  
~~Beginning at a Post in the S.E. Bank of~~  
~~Little River.~~

~~7.55~~  
~~44.50~~ Set a Post on the S.W. Bank of Little River  
from which

an Elm 8 in. diam. bears N. 39 W. 18 links dist &  
a Do 14 " " " N. 84 E. 18 " "

~~2.50~~ ~~Set a q. Sec. post from which~~  
~~an Elm 14 in. diam. bears S. 41 W. 6 links dist &~~  
~~a Maple 10 " " " N. 35 W. 32 " "~~

~~66.86~~  
~~23.65~~ A 15 Oak 9 " "

~~24.85~~  
~~67.75~~ Intersected the Indian Reserve at Rackern Village  
Set a post for Cor. to Sec. 1 from which  
a Hickory 5 in. diam. bears S. 28 W. 10 links dist &  
an Ironwood 6 in. " " N. 33 E. 5 " "

~~42.55~~  
~~85.40~~ Set a 1/2 Sec. post Cor. to Towns 29 & 30 Ranges  
10 & 11 in Indian Reservation.

Surveyed by  
C. Carter. D. G.

## North Boundary

West On South Boundary of Sec. 33 T 30 N R 10  
No Cor. made till the 2nd 1/2 mile

40.00 Set a q. Sec. post from which  
a W. Oak 14 in. diam. bears N. 61 E. 30 links dist &  
a Do 20 " " " N. 70 W. 33 " "

54.26 A Hickory 26 in. diam.

80.00 Set a post Cor. to Sec. 34 & 35 from which  
a Beech 18 in. diam. bears N. 26 E. 6 links dist &  
a Do 14 " " " N. 63 W. 22 " "

Land not described.



## T 29 N. R 10 E. 2nd Mer. Indiana.

West On South Boundary of Sec 34 T 30 N R 10 E.  
 19. 74 A W Oak 23 in. diam.  
 40. 00 Set a q. Sec post from which  
 a Beech 23 in. diam. bears N 13 E 35 links dist. &  
 a Beech 17 " " " N 59 W 43 " "  
 44. 68 A W. line of Raccoon Reservoir.  
 a W Oak 26 in. diam. bears S 12 W 23 links dist. &  
 a Beech 18 " " " N 29 W 30 " "  
 50. 20 A R. Oak 34 in. diam.  
 50. 00 Set a Post cor. to Sec. 33 & 34 from which  
 a Beech 9 in. diam. bears N 50 W 15 links dist. &  
 a Do. 18 " " " N 58 W 47 " "  
 Land not described.

West On South Boundary of Sec 33. T 30. N. R. 10 E.  
 2. 00 A Stream 18 links wide. Course S W  
 8. 95 A Beech 20 in. diam.  
 31. 50 A Stream 28 links wide. Course South.  
 40. 00 Set a q. Sec post from which  
 a Beech 8 in. diam. bears N 19 E 12 links dist. &  
 a Do 12 " " " N 58 W 29 " "  
 53. 00 A Beech 14 in. diam.  
 80. 00 Set a Post cor. to Sec. 32 & 33 from which  
 a Beech 19 in. diam. bears N 77 E 26 links dist. &  
 a Do 13 " " " N 28 W 55 " "  
 Land not described

West On South Boundary of Sec 32 T 30 N R 10 E.  
 9. 60 A Beech 18 in. diam.  
 40. 00 Set a q. Sec post from which  
 a Beech 13 in. diam. bears N 76 E 49 links dist. &  
 a Do 18 " " " N 45 W 50 " "  
 49. 42 A Beech 14 " "  
 80. 00 Set a Post cor. to Sec. 31 & 32 from which  
 a Beech 6 in. diam. bears N 23 E 19 links dist. &  
 a Do 7 " " " N 67 W 24 " "

## T 29 N R 10 E. Ind. Mer. Indiana.

West On South Boundary of Sec 31. T 30 N R 10 E.  
 24.02 A Beech 17 in. diam.  
 40.00 Set a gr. Sec post from which  
 a Maple 15 in. diam. bears N 43 E 24 links dist. &  
 a B. Ash 20 " " " N 36 W 33 " "  
 50.73 A Hickory 36 " "  
 82.00 Set a Post cor. to Towns 29. & 30. Ranges 9 & 10 E  
 Sec. 1. 6. 31 & 36. from which  
 a Blue Ash 17 in. diam. bears N 84 E 23 links dist. &  
 a Beech 13 " " " N 15 W 3 " "  
 Land rolling undulate. Timber Oak. & Hickory;  
 Land not described.  
 See end of Township for S. boundary of Sec. 35 & 36 (containing notes)

West Boundary var. 6° 15' E  
 North On East Boundary of Sec 36. T 29 N R 9 E.  
 31.24 A Hickory 12 in. diam.  
 40.00 Set a gr. Sec post from which  
 a Hickory 14 in. diam. bears S 20 W 35 links dist. &  
 a Gr 14 " " " N 7 W 59 " "  
 61.27 An Elm 12 " "  
 80.00 Set a Post cor. to Sec. 25 & 36 from which  
 an R. Oak 30 in. diam. bears S 25 W 11 links dist. &  
 an Ironwood 6 " " " N 21 W 4 " "  
 Land not described

North On East Boundary of Sec 25 T 29 N R 9 E.  
 12.45 A Stream 12 links wide. Course E.  
 30.90 A B. Ash 40 in. diam.  
 40.00 Set a gr. Sec post from which  
 a Hickory 15 in. diam. bears S 10 W 21 links dist. &  
 a Beech 12 " " " N 18 W 37 " "  
 60.51 A B. Ash 15 " "  
 80.00 Set a Post cor. to Sec. 24 & 25 from which  
 a Beech 9 in. diam. bears S 16 W 23 links dist. &  
 a Gr 10. " " " N 57 W 29 " "  
 Land not described



T 29 A R 10 E 2<sup>nd</sup> Mer. Indiana.

24.04 A Spruce 8 in. diam.  
 40.00 Set a g. sec. post from which  
 a Beech 8 in. diam. bears S 65 W 19 links dist &  
 a Dogwood " " " N 80 W 29 " "  
 60.20 A Beech 23 in. diam.  
 80.00 Set a g. sec. post for Town Cor.  
 Land separate. Timber Hickory Beech &  
 Oak. Underg<sup>th</sup> Ironwood & Spruce,  
 Surveyed by  
 David Willis D.S.

## Subdivisions

North Between Sec? 33 & 34  
 25.18 A Beech 20 in. diam.  
 40.00 Set a g. sec. post from which  
 a W. Oak 34 in. diam. bears S 39 W 24 links dist &  
 a Dogwood 3 " " " S 70 E 31 " "  
 43.50 A W. Oak 24 " "  
 80.00 Set a Post cor. to Sec? 27, 28, 33 & 34 from which  
 a Beech 20 in. diam. bears S 26 E 25 links dist &  
 an Elm 15 " " " S 77 W 21 " "  
 Land rolling & separate. Timber Beech, Hick.  
 Underg<sup>th</sup> Hickory, Ash.  
 Apr 14<sup>th</sup> 1828;

East On Random between Sec? 27 & 34  
 6.10 A Stream 10 links wide. Course South  
 40.00 Set a g. sec. post from which  
 a Sugar 24 in. diam. bears S 51 W 24 links dist &  
 an Ash 7 " " " North 6 " "  
 50.40 Back water of Little River. Set post cor. to Sec?  
 27 & 34 from which  
 a B. Oak 24 in. diam. bears N 11 W 28 links dist &  
 a W. Oak 11 " " " West 15 " "  
 Land not described



North Between Sec. 27 & 28  
 5 76 an Elm 12 in. diam.  
 6. 08 A Stream 8 links wide Course SE  
 10. 00 Set a g<sup>t</sup> Sec post from which  
 a Birch 24 in. diam. bears N 62 W 10 links dist. &  
 a Do 20 " " " N 42 E 34 " "  
 42. 17 A W Oak 35 " "  
 80. 00 Set a Post Cor. to Sec. 21. 22 27 & 28 from which  
 a Birch 18 in. diam. bears N 77 W 37 links dist. &  
 a Do 8 " " " N 70 E 4 " "  
 Land level 2<sup>nd</sup> rate. Timber. Sugar. Birch &  
 Underg<sup>t</sup>. Spice &c.

East On Road between Sec. 22 & 27  
 40. 00 Set a g<sup>t</sup> Sec post from which  
 a W Oak in. diam. bears N 81 E 16 links dist. &  
 a Birch 15 " " " S 77 W 58 " "  
 80. 00 Set a Post Cor. to Sec. 22. 23 26 & 27 from which  
 an R. Oak 13 in. diam. bears S 85 E 27 links dist. &  
 an Elm 10 " " " S 83 E W 26 " "  
 31. 12 Back water of Little River  
 Land level 3<sup>rd</sup> rate. Timber. Elm. &c. Underg<sup>t</sup>.  
 Spice &c.

xx ~~See~~ See end of Township

North Between Sec. 22 & 23  
 25. 43 A Hickory 12 in. diam.  
 40. 00 Set a g<sup>t</sup> Sec post from which  
 a W Oak 20 in. diam. bears N 50 W 108 links dist. &  
 61. 23 A W Oak 18 " "  
 80. 00 Set a Post Cor. to Sec. 14. 15 22 & 23 from which  
 a Birch 20 in. diam. bears S 70 E 9 links dist. &  
 a Do 12 " " " S 40 W 26 " "  
 Land rolling 2<sup>nd</sup> rate. Timber Birch.

East Between Sec. 14 & 23  
 2. 50 A Creek 20 links wide. Course SE.  
 5 00 A Do 20 " " " North

See end of Township



T 29 N. R. 10 E 3<sup>d</sup> Mer. Indiana.

20.00 A Creek 20 links wide. Course South  
 25.00 Back water of Little River  
 Land level 2<sup>nd</sup> rate. Timber. Sycamore,  
 Buck. & Underg<sup>th</sup> Spice. &c.

North Between Sec? 14 & 15

1.00 A Creek 20 links wide. Course East

3.50 Do 20 " " " S.W.

A Cherry 20 in. diam.

6.50 A Creek 20 links wide. Course East,

22.50 Do 12 " " " S.E.

24.50 Do 12 " " " West,

26.50 Do 12 " " " East,

40.00 Set a gp. sec. post from which

a Buck 10 in. diam. bears N. 48 E. 15 links dist. &

a Do 12 " " " S. 87 W. 21 " "

50.75 A Buck 30 in. diam.

60.00 Set a post Cor. to Sec. 10 N. 14 & 15 from which

a Buck 15 in. diam. bears S. 62 E. 28 links dist. &

a Do 15 " " " N. 35 W. 22 " "

Land rolling 2<sup>nd</sup> rate. Timber. Buck &  
 P. Ash.

North Between Sec? 10 & 11

14.12 Intersect the S.W. Boundary of the Reserve

and set a post Cor. to Sec. 10 N. from which

a Buck 12 in. diam. bears S. 62 E. 15 links dist. &

a W. Oak 30 " " " N. 29 E. 16 " "

April 15<sup>th</sup> 1828

North Between Sec? 21 & 22

22.50 A Poplar 30 in. diam.

40.00 Set a gp. sec. post from which

an Iron wire 5 in. diam. bears S. 18 W. 13 links dist. &

a B. Oak 12 " " " N. 10 E. 24 " "

43.45 A Sycamore 30 " "

T 29 N R 10 E 2<sup>nd</sup> Mer. Indiana.

50.00 Set a Post cor. to Sec. 15 16 21 & 22 from which  
a Birch 24 in? diam. bears N. 69 E. 35 links dist. &  
a Do 12 " " " S 36 W 11 " "  
Land brl. Timber. Birch & Oak. Undergrowth  
Spice. &c.

East Between Sec. 11 & 14  
14 37 Intersect the S W Boundary of the Reserve  
1 chain & 80 links from the South Corner.  
Set a Post cor. to Sec. 11 & 14 from which  
a Birch 24 in? diam. bears S. 56 E. 11 links dist. &  
a Sugar 24 " " " S 67 W 25 " "  
17.25 Intersect the S E. Boundary of the Reserve 1 chain  
and 86 links from the South corner of the  
the Reserve. Set a Post corner to Sec. 11 & 14  
from which a  
Birch 10 in? diam. bears S. 61 W. 20 links dist. & a  
Do 20 " " " S. 10 W. 11 " "  
35.50 Enter Swamp  
40.00 Set a gr the post from which  
a W. Oak in? diam. bears S. 23 E. 6 links dist. &  
an Ash 7 " " " S. 78 W. 12 " "  
52.80 Intersect the River in Swamp  
Land 1<sup>st</sup> & 2<sup>nd</sup> rolling 2<sup>nd</sup> rate. Last 1/2 3<sup>rd</sup> rate.

East On Random between Sec. 15 & 22  
40.00 Set a Timber gr the post  
79.50 Intersect the N & S line 3 1/2 links South  
of the Post.

West Connected between Sec. 15 & 22  
39.75 Set a gr Sec post at aver. dist. from which  
a Birch 20 in? diam. bears S. 6 W. 18 links dist. &  
a Do 12 " " " S 26 E 18 " "  
79.50 To Sec. Corner.  
Land not described.

## T &amp; G No. 10 E 2nd Mer. Indian.

North Between Sec. 15 & 16  
 12.60 A Creek 20 links wide. Course E  
 32.64 An Ash 15 in. diam.  
 40.00 Set a post from which  
 an Ash 16 in. diam. bears S 16 E. 10 links dist. &  
 a Buck 15 " " " " S 29 W. 50 " "  
 44.50 A Brook 10 links wide. Course East  
 45.00 To 10 " " " West  
 45.50 To 10 " " " East  
 46.00 To 10 " " " West  
 46.25 To 10 " " " SE.  
 46.85 A Buckeye 10 in. diam.  
 50.00 Set a Post Cor. to Sec. 9. 10 15 16 from which  
 a W. Oak 2 1/4 in. diam. bears S 15 W. 4 links dist. &  
 a Hickory 40 " " " S 35 E. 7 " "  
 Land 1<sup>st</sup> 1/2 mile 1<sup>st</sup> rate. Last 1/2 2<sup>nd</sup> rate.  
 Timber. Ash, Walnut, Hickory, &c.  
 Underg<sup>th</sup>. Spice &c, &c.

East On Random between Sec. 10 & 15  
 40.00 Set a stump of the post  
 41.50 A Brook 10 links wide. Course South  
 79.45 Intersect the N & S line 14 links South of Post.  
 Third level 2<sup>nd</sup> rate. Timber Buck.  
 Underg<sup>th</sup>. Ash. &c.

West Corrected between Sec. 10 & 15  
 39.72 1/2 Set a post at aver. dist. from which  
 a Buck 18 in. diam. bears S 32 W. 11 links dist. &  
 a Buckeye 14 " " " S 3 W. 24 " "  
 79.45 To the Corner

North Between Sec. 9 & 10  
 4.50 To Pond  
 7.00 Same  
 17.68 A Hickory 15 in. diam.

## T 29 N. R 10 E. Ind. Mer. Indiana

30. 00 To Pond  
 33 00 Left same  
 40.00 Set a gp Sec post from which  
 a B. Oak 5 in. diam. bears N. 40 E. 18 links dist. &  
 an Ironwood 4 in. " " S. 40 W. 6 " "  
 47. 00 A Sugar 20 " diam.  
 80.00 Set a Post cor. to Sec. 3. 4. 9 & 10 from which  
 a W. Oak 28 in. diam. bears S. 38 E. 39 links dist. &  
 a Bk Oak 10 " " " N. 16 W. 29 " "  
 Land level & 2<sup>nd</sup> rate. Timber Beech &c.  
 Underg<sup>th</sup> Spice. Ash. Oak. &c.

## East Between Sec. 3 &amp; 10

14. 25 Intersect the Boundary of the Reserve &  
 Set Post cor. to Sec. 3 & 10 from which  
 a Beech 12 in. diam. bears S. 68 E. 22 links dist.  
 & a (Do. 24 " " " S. 77 W. 31 " "

## North Between Sec. 3 &amp; 4

3. 89 A Sugar 20 in. diam.  
 14. 16 Intersect the Boundary of the Reserve &  
 Set a Post cor. to Sec. 3 & 4. from which  
 an Ash 36 in. diam. bears S. 21 E. 27 links dist. &  
 a Beech 13 " " " S. 67 W. 14 " "  
 Timber. Beech. Ash. Sugar, Underg<sup>th</sup> Spice.

## North Between Sec. 32 &amp; 33

27. 50 A W. Oak 30 in. diam.  
 29. 00 A Creek 25 links wide. Course E.  
 40.00 Set a gp. Sec post from which  
 a Beech 24 in. diam. bears N. 14 W. 30 links dist.  
 & a W. Oak 10 " " " S. 45 E. 27 " "  
 55. 00 A W. Oak 40 " "  
 77. 50 A Brook 7 links wide Course E.  
 80.00 Set a Post Cor. to Sec. 28. 29. 32 & 33  
 from which



T 29. N. R 10 E 2<sup>nd</sup> Mer. Ina

Buck 12 in. diam. bears N 87 W 25 links dist, &  
 a W. Oak 18 " " " S 57 E. 27 " "  
 Sand Rolling 1<sup>st</sup> rate for mile 3<sup>rd</sup> rate Last 1/2  
 mile 2<sup>nd</sup> rate Timber Oak. Buck &c.

East On Random between Sec. 28 & 33  
 40.00 Set a Temp<sup>o</sup> gr. Sec post  
 80 50 Intersect the N & S line 2 chains & 94 links  
 North of the Post.  
 Apr. 16<sup>th</sup> 1828

West Corrected between Sec. 28 & 33  
 40.25 Set a gr. Sec. post at aver. dist. from which  
 a Buck - in. diam. bears N. 70 W. 57 links dist, &  
 an Elm 4 " " " S 15 E 5 " "  
 80.50 To Sec. Corner

North Between Sec. 28 & 29  
 2.37 A W Oak 12 in. diam.  
 40.00 Set a gr. Sec post from which  
 an Ash 6 in. diam. bears N. 60 W. 24 links dist, &  
 a Do 6 " " " S 40 E 25 " "  
 45.00 To Swamp  
 48.00 Left same  
 50.75 A W. Oak 30 in. diam.  
 80.00 Set a Post cor. to Sec. 20 21. 28 & 29 from which  
 a Buck 8 in. diam. bears N 61 E 24 links dist, &  
 a Do 18 " " " S 48 W. 20 " "  
 Land level 2<sup>nd</sup> rate Timber. Buck Elm

East On Random between Sec. 31 & 28  
 40.00 Set a Temp<sup>o</sup> gr. Sec post.  
 80 15 Intersect the North & South line 2 chains and  
 93 links North of the Post.  
 Land level & 2<sup>nd</sup> rate. Timber Buck



418

T 29 A R 10 E. Ord Mer. Indiana.

West Corrected between Sec? 21 & 28  
 40.07 Set a post at aver. dist. from which  
 a Beech 15 in? diam? bears S, 25 E 35 links dist. 8  
 a Do 20 " " " N 35 W 25 " "  
 80.15 To Sec. Corner

North Between Sec? 20 & 21  
 13.40 A Poplar 30 in? diam?  
 40.00 Set a q? Sec post from which  
 a W. Oak 12 in? diam? bears S, 12 W, 45 links dist. 8  
 a Beech 24 " " " N 17 E 27 " "  
 65.75 A Do 16 " "  
 77.00 A Creek 6 links wide Course East.  
 80.00 Set a Post cor. to Sec? A Sugar tree cor. to Sec? 16  
 17.20 & 21. from which  
 a Beech 18 in? diam? bears N 73 E 36 links dist. 8  
 a W. Oak 28 " " " N 28 W 20 " "  
 Land level. Inmate. Timber Beech.

East On Random between Sec? 16 & 21  
 5.00 A Creek 12 links wide Course South  
 12.00 A Do 12 " " " Course N E  
 24.00 A Do 12 " " " " S E  
 29.00 A Do 12 " " " " N?  
 40.00 Set a Simp<sup>l</sup> q? Sec posts.  
 45.00 A Creek - links wide. Course West  
 60.00 Do " " " North.  
 80.22 Intersect the N & S line 3 chains. North of Post.

West Corrected between Sec? 16 & 21  
 40.71 Set a q? Sec post at aver. dist. from which  
 a Beech 12 in? diam? bears N 52 E 5 links dist. 8  
 a Do 15 " " " S 17 E 20 " "  
 80.22 To Sec Corner.

North Between Sec? 16 & 17

## T 29 N. R 10 E Ind. Mer. Indiana.

7. 00 An Ash 15 in. diam?  
 33. 00 A Creek 10 links wide. Course East  
 40. 00 Set a 2<sup>d</sup> Sec post from which  
 a Buck 10 in. diam. bears N 64 E. 25 links dist. &  
 a Do 5 " " " N. 25 W. 9 " "  
 40. 25 A Creek 15 links wide Course West  
 42. 75 A Buck 15 in. diam?  
 58. 00 A Creek 16 links wide. Course E  
 80. 00 Set a Post cor. to Sec. 8. 9. 10. 11 from which  
 an Ash 24 in. diam. bears S 43 W. 13 links dist. &  
 a Buck 24 " " " N. 16 E. 23 " "  
 Land level 2<sup>nd</sup> rate. Timber. Sugar. Beech. &  
 Underg<sup>th</sup> Spice.

East On Random between Sec. 9 & 10  
 8. 78 A Creek 10 links wide. Course South.  
 40. 00 Set a Temp<sup>2</sup> 2<sup>d</sup> Sec post.  
 41. 00 Pond  
 43. 00 Left Pond  
 48. 50 Pond  
 50. 50 Left same  
 50. 54 Intersect the Boundary 3. 34 links North of  
 the Post.  
 Land level 3<sup>rd</sup> rate

West Corrected between Sec. 9 & 10  
 40 27 Set a Post for 2<sup>d</sup> Sec at a var. dist. from which  
 a Buck 18 in. diam. bears S 70 W. 5 links dist. &  
 an Elm 4 " " " N. 62 E. 18 " "  
 50 54 To Sec. Corner

Apr 17<sup>th</sup> 1828.

North Between Sec. 31 & 32  
 8. 00 To Swamp.  
 15. 00 Left same  
 31 25 A W. Oak 18 in. diam.

# 420

## T 29 A R 10 E. 2nd Mer. Indiana.

40. 00 Set a gr. Sec post from which  
 a W. Oak 13 in. diam. bears S 70 E 9 links dist. &  
 a Do 6 " " " N 32 W 6 " "

52. 00 A Creek 12 links wide. Course E

62. 50 Do 12 " " " W.

80. 00 Set a Post cor. to Sec. 29 30. 31 & 32 from which  
 a Beech 18 in. diam. bears S. W. 24 links dist. &  
 a Do 6 " " " N. 11 E. 30 " "

Land rolling & rate. Timber Beech & Oak  
 Underg. Spice.

East On Range between Sec. 29 & 32.

11. 50 A Brook 6 links wide. Course South

27. 50 A Creek 20 " " " S W.

40. 00 Set a Temp. gr. Sec post,

80. 00 Intersect the N & S line 1. 14 links S. of the Post,  
 Land level & rate. Timber. W. Oak. Beech &  
 Underg. Spice & L. Ash.

West Corrected between Sec. 29 & 32

40. 00 Set a gr. Sec post, on the true line from which  
 an Elm 12 in. diam. bears N. 20 E. 34 links dist. &  
 a Maple 12 " " " S 20 W 34 " "

80. 00 To Sec Corner.

West Between Sec. 30 & 31

12. 39 A Cherry 20 in. diam.

40. 00 Set a gr. Sec post, from which  
 a Beech 36 in. diam. bears S. 84 W. 35 links dist. &  
 a Do 6 " " " S 73 E 17 " "

63. 84 A Beech 18 " "

80. 94 Intersect the West Boundary 1. chain & 57 links  
 South of the Post. Set a Post cor. to Sec. 30 & 31  
 from which an  
 Ash 12 in. diam. bears S. 74 W. 11 links dist. & a  
 Do 11 " " " S 60 E 11 " "



## T 39 N. R 10 E. 2nd Mer. Indian.

Land level 1<sup>st</sup> rate. Timber. Ash -  
Walnut, Beech, Underg<sup>th</sup> Spice &c.

North Between Sec<sup>s</sup> 29 & 30  
5.17 A Beech 24 in. diam.  
40.00 Set a go<sup>se</sup> Sec post from which  
a Beech 12 in. diam. bears S 67<sup>W</sup> 17 links dist &  
a W. Oak 18 " " " N 15 E 28 " "  
53.80 A Co. 48 "  
61.00 A Creek 15 links  
80.00 Set a Post cor. to Sec<sup>s</sup> 19, 20, 29 & 30 from which  
a Beech 20 in. diam. bears North 174 links dist &  
a Cherry 3 " " " S 51 E 9 " "  
Land level 2<sup>nd</sup> rate. Timber Beech.  
Underg<sup>th</sup> Spice

East On Random between Sec<sup>s</sup> 20 & 29  
18.00 A Creek 20 links wide. Course South  
40.00 Set a Temp<sup>st</sup> go<sup>se</sup> Sec post  
79.78 Intersect the 1<sup>st</sup> & 3 line 1.41 links N. of Post  
Land level 2<sup>nd</sup> rate. Timber Beech &c.

West Corrected between Sec<sup>s</sup> 20 & 29  
39.89 Set a go<sup>se</sup> Sec post at aver dist. from which  
a W. Oak 10 in. diam. bears N 18 E 20 links dist &  
a Co 15 " " " " S 40 W 16 " "  
79.78 To Sec Corner

West Between Sec<sup>s</sup> 29 & 30  
12.40 A Beech 18 in. diam.  
34.50 A Creek 12 links wide. Course S.E.  
40.00 Post in Creek. from which  
a Beech 20 in. diam. bears N 8 E 33 links dist  
60.25 A Beech 10 " "  
80.55 Intersect the West Boundary 261 links South  
of the Post.

T 29 N. R 10 E Ind. Mer. Indiana

422

a Beech 12 in. diam. bears N 30 W 41 links dist.  
a Do 24 " " " S 30 E 16 " "  
Land level 2<sup>nd</sup> rate. Timber. Beech & Sugar,  
Underg<sup>th</sup> Spice, &c.

North Between Secs 19 & 20

10, 80 An Elm 13 in. diam.

40, 00 Set a go. Sec. post from which  
an W Oak 24 in. diam. bears S 3 E 14 links dist. &  
a Beech 14 " " " N 88 W 27 " "

148, 00 A Creek 12 links wide. Course E.

68, 00 A W. Oak 50 in. diam.

80, 00 Set a Post cor. to Secs 17 18 19 & 20 from which,  
a Spruce 18 in. diam. bears N 42 E 17 links dist. &  
an Ash 15 " " " S 22 W 11 " "  
Land level 2<sup>nd</sup> rate. Timber Ash & Beech.  
Underg<sup>th</sup> S. Ash, &c.

West Between Secs 18 & 19

3, 00 A Hickory 24 in. diam.

40, 00 Set a go. Sec. post from which  
a W. Ash 20 in. diam. bears N 59 W 22 links dist. &  
a W Oak 15 " " " S 34 E 15 " "

80, 00 Intersect the West Boundary 3 chains & 42 links  
S of the Post where  
a Beech 5 in. diam. bears S E 9 links dist. &  
an Ash 2 " " " N 31 W 15 " "  
Land level 4<sup>th</sup> rate. Timber. Beech & Ash  
Undergrowth S. Ash.

East On Random between Secs 17 & 20

40, 00 Set a Temp<sup>ry</sup> go. Sec. post

60, 00 A Stream 6 links wide Course South

80, 00 Intersect the N & S line 1.05 links North of Post,  
Land level 2<sup>nd</sup> rate. Timber Beech

Apr. 18<sup>th</sup>



## T 29 N. R. 10 E Ind. Indian

West Corrected between Sec. 17 & 20  
 40.00 Set a gr. Sec post on true line from which  
 an Ash 30 in. diam. bears S 63 E 17 links dist. &  
 a Do 4 " " " N 63 W 9 " "  
 80.00 To Sec. Corner

North Between Sec. 17 & 18

44.50 A Spruce 48 in. diam.  
 40.00 Set a gr. Sec post from which  
 a Buck 24 in. diam. bears N 81 E 22 links dist. &  
 an Ironwood 4 " " " N 34 W 14 " "  
 53.00 A Buck 24 " "  
 80.00 Set a Post cor. to Sec. 7, 8, 17 & 18 from which  
 a Buck 15 in. diam. bears S 15 E 24 links dist. &  
 an Ash 12 " " " N 35 W 30 " "  
 Land level & 2<sup>nd</sup> rate Timber. Buck. Underg.  
 Spruce &c.

West Between Sec. 7 & 18

22.00 To Swamp  
 40.00 Set a gr. Sec post from which  
 an Ash 30 in. diam. bears S 77 W 32 links dist. &  
 a Walnut 24 " " " N 84 W 39 " "  
 49.50 A Buck 24 " "  
 80.80 Intersect the West Boundary 2 chains & 11 links  
 South of the Post. Set a Post Cor. to Sec. 7 & 18  
 from which  
 a Buck 12 in. diam. bears S 21 E 24 links dist. &  
 a Do 21 " " " S 38 E 30 " "  
 Land level & 2<sup>nd</sup> rate Timber. Buck  
 Underg. Ash &c.

East On Random between Sec. 8 & 17

40.00 Set a Spruce gr. Sec post  
 57.00 A Creek 12 links wide Course S.E.  
 79.75 Intersect the N & S line 13 1/4 links N of Post

424

T. 29 N. 10 E. 2nd Mer. Indiana.

Land level 2nd rate. Timber. Beech, Oak, &c.  
Underg<sup>th</sup> Spice & Ash

West Corrected between Sec. 8 & 9  
39. 87 Set a gr. Sec. post at aver. dist. from which  
a Beech 12 in. diam. bears N 78 10 links dist. &  
an Ironwood 4 " " S. 16 N. 11 " "  
79. 75 To Sec. Corner.

Apr. 20th 1828

North Between Sec. 8 & 9  
24. 20 A Beech 20 in. diam.  
40. 00 Set a gr. Sec. post from which  
a Beech 6 in. diam. bears N. 24 E. 31 links dist.  
4 a Q 18 " " " S. 20 N. 17 " "  
54. 00 S. W. Oak 20 " "  
56. 50 To Swamp  
62. 00 Left same  
80 00 Set a Post cor. to Sec. 4 5. 8. & 9 from which  
an Elm 24 in. diam. bears N 13 W 28 links dist. &  
a B. Oak 18 " " " S. 6 E. 25 " "  
Land level 2nd rate. Timber. Oak. Beech  
Underg<sup>th</sup> Spice. Beech. &c.

East On Random between Sec. 4 & 9  
40. 00 Set a Temp<sup>ry</sup> gr. Sec. post  
80 75 Intersect the N & S line 3 chain & 86 links  
North of the Post.  
Land level & 2nd rate Timber. Beech  
Ash. Oak. &c. Underg<sup>th</sup> Ash. Oak. & Hawth.

West Corrected between Sec. 4 & 9  
40 37 Set a gr. Sec. post at aver. dist. from which  
a W Oak 30 in. diam. bears S. 4 E. 33 links dist. &  
a Q 30 " " " N. 11 W. 43 " "  
80 75 To Sec. Corner

## T. 29 N. R. 10. E. Ind. Mer. Indiana

North Between Sec. 4 & 5  
 3. 50 A Poplar 24 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a Beech 12 in. diam. bears S. 11 E. 19 links dist. &  
 a Hickory 9 " " " N. 11 E. 36 " "  
 40. 50 A Stream 5 links wide. Course E.  
 62. 50 A Buckeye 22 in. diam.  
 84. 00 Intersect the North Boundary 3 chains & 31  
 links West of the Post where  
 a Beech 12 in. diam. bears S. 71 E. 11 links dist. &  
 an Ash 15 " " " S. 37 W. 15 " "  
 Land level Inacrate. Timber Ash. Beech  
 Underg<sup>th</sup> Spice & P. Ash.

North Between Sec. 7 & 8  
 17. 00 A Beech 15 in. diam.  
 40. 00 Set a gr. Sec. post in Pond 14 chains wide  
 from which  
 an Elm 10 in. diam. bears N. 41 E. 15 links dist. &  
 a Maple 8 " " " S. 12 E. 11 " "  
 54. 25 An Ash 10 " "  
 80. 00 Set a Post cor. to Sec. 5. 6. 7. & 8 from which  
 an Ironwood 7 in. diam. bears S. 58 E. 23 links dist.  
 a Sugar 15 " " " N. 81 W. 21 " "  
 Land level Inacrate. Timber Ash. Beech  
 Underg<sup>th</sup> Spice & Ash.

East On Random between Sec. 5 & 8  
 30. 50 A Stream 6 links wide Course South.  
 40. 00 Set a Temp<sup>ry</sup> gr. Sec. post  
 50. 00 Intersect the N & S line 1.38 links North of Post  
 Land level Inacrate. Timber Ash. & Beech  
 Underg<sup>th</sup> Spice & Ash.

West Corrected between Sec. 5 & 8  
 40. 00 Set a gr. Sec. post at aver. dist. from which



426

T 29.1 R. 10 E 2nd Mer. Indiana

an Ash 10 in. diam. bears S 12 W 28 links dist, &  
 a Beech 24. " " " " S 27 E 28 " "  
 80.00 To the Corner

North Between Sec? 5 & 6

10.00 To Pond

19.00 Left same

21.40 A Beech 12 in. diam?

40.00 Set a gr. iron post from which  
 a Beech 10 in. diam. bears S 40 W 10 links dist, &  
 a Do 7 " " " " S 17 E 33 " "

55.75 A Do 15 " "

83.00 Intersect the North Boundary 2 chains 484  
 links West of the Post, where set a Post cor.  
 to Sec? 5 & 6 from which

an Ash 10 in. diam. bears S 30 E 8 links dist,

a Beech 10 " " " " S 27 W 27 " "

Land level. One rate Timber Beech Ash  
 & Underg<sup>th</sup> S. Ash & Spice

Apr. 21<sup>st</sup> 1828

West Between Sec? 6 & 7

4.38 A Beech 14 in. diam?

40.00 Set a gr. Sec. post, from which  
 a Beech 12 in. diam. bears S 47 W 7 links dist, &  
 a Do 18 " " " " S 15 E 17 " "

45.37 An Elm 18 " "

79.50 Intersect the West Boundary 3 chains 420  
 links South of the Post.

Set a Post cor. to Sec? 6 & 7 from which

a W. Oak 4 in. diam. bears S 51 E 5 links dist, &

a Beech 4 " " " " S 20 W 12 " "

Land level. 1<sup>st</sup> 1/2 mile 1<sup>st</sup> rate East 1/2 mile  
 One rate. Timber. Walnut, Ash, & Poplar.

Underg<sup>th</sup> S. Spice &c.



T 29 N 10 E. Ind. Mer. Ind.

East Between Sec. 23 & 26.  
 2. 17 To Little River & set post cor to Sec. 23 & 26  
 from which a  
 W. Oak 12 in. diam. bears N. 40 E. 4 links dist. &  
 a Post 15 " " " " S. 30 W. 14 " "  
 Land not described

Surveyed by  
 B. Bently;

In Pursuance of a contract with and  
 instructions from Edward Tiffin  
 Surveyor General of the United States,  
 I have surveyed and sub-divided into  
 sections Township No. 29 North of Range  
 No. 10 East. (Fractional) in the Fort Wayne  
 district in the State of Indiana, and  
 I certify that the foregoing are the correct  
 field notes of the survey of the said Town-  
 ship.

Certified this 25<sup>th</sup> day of June 1828

B. Bently  
 Dep. Surveyor

428

S 29 N. R 10 E 2nd Mer. Indiana

South Between Sec. 26 & 27  
 31. 70 To Little River 50 links wide Course S W  
 Set a post from which  
 a Mulberry 18 in. diam. bears N. 44 W. 9 links dist  
 & a Water Beech 12 in. " " N. 14 1/2 E. 14 " "

~~North Between Sec. 3 & 4  
 32. 88 Leave the River and set a Post from which  
 a Willow 11 in. diam. bears S. 49 E. 10 links dist &  
 a Do 3 " " " S 3 1/2 W 12 " "  
 40. 00 Set a g. & c. post from which  
 an Elm 30 in. diam. bears North 6 links dist &  
 a W Oak 25 " " " S 23 1/2 W 18 " "  
 Thursday evening Jan. 1<sup>st</sup> 1829~~

East Between Sec. 27 & 34  
 50. 40 To Back water  
 53. 21 To River 100 links wide. Course S W  
 and set a Post from which  
 a Lycamore 36 in. diam. bears N 26 1/4 E 2 1/2 links dist  
 & a W Oak 10 " " " W 29 6 links dist.  
 Land not described.

North Between Sec. 11 & 12  
 11. 90 Leave Little River set a Post from which  
 a Maple 16 in. diam. bears N. 62 1/2 W. 8 links dist  
 a Do 16 " " " N. 45 E. 15 " "  
 21. 74 A W. Ash 6 " "  
 40. 00 Set a g. & c. post, from which  
 an Elm 12 in. diam. bears N. 59 W. 10 links dist  
 a W Ash 12 " " " N. 81 E. 35 " "  
 62 34 Intersect the Reserve line N. E. of a Buck  
 station 6 in. diam. 14. 38  
 Set a Post cor to Sec. 11 & 12 from which  
 a W. Ash 7 in. diam. bears S 42 1/2 E 23 links dist &  
 a Do 7 " " " S 40 W 5 " "

T 29 N R 10 E Q. 1<sup>st</sup> Mer Indiana

Land level met & Rich. Timber. W. Ash Maple  
Elm, B<sup>k</sup> Ash Oak & Beech.

- On Reserve line N. West side of Sec. 12  
From the cor of Sec. 11 & 12 Reserve N 45 E 25<sup>th</sup>  
East Between Sec. 11 & 12  
17. 00 Leave the Reserve line & set post cor. to Sec.  
11 & 12. Set a Post from which  
W. Ash 18 in. diam. bears S 25 E 53 links dist &  
a Maple 6 in. " " East 70 " "  
27. 70 A Maple 8 " " "  
38. 25 A Maple 3 " " for  $\frac{1}{4}$  Sec. post on  
Little River. Set Witness from which  
a Maple 5 in. diam. bears N 62 $\frac{1}{2}$  W 19 links dist &  
a W. Ash 24 " " S. 77 W. 24 " "  
Land level. Met & rich. Timber. Ash Maple  
and Elm.

- On Reserve line North 45 East from the  
Cor of Sec. 11 & 12.  
5. 00 A Brook 12 links wide. Course S E.  
6. 00 A B. Oak 15 in. diam. (Old Station)  
8. 00 Enter W. Prairie  
25. 00 To line between Sec. 11 & 12 and leave the  
Prairie at 1766 links East between Sec. 11 & 12  
Land not described.

- East Between Sec. 11 & 14  
52. 80 To Back Water. (So says Bentley)  
64. 80 To Little River  
Meander Post a Maple 8 in. diam.

- East Between Sec. 14 & 23  
25. 00 Enter Bottom of flooded Sand.  
29. 40 A Brook 12 links wide. Course S E.  
A D. 12 " " " " N E.

430

T 29 N. R. 10 E. 2nd Mer. Indiana

31. 00 A Brook 12 links wide. Course N E.  
 37. 25 A Plum bush 4 in<sup>d</sup> diam. for g. See post  
 on Little River.

Cor to Sec. 22. 23. 26 & 27. from which  
 an Elm 10 in<sup>d</sup> diam. bears S. 83 $\frac{1}{2}$  W. 26 links dist. &  
 a Red Oak 13 " " " S 83 E. 27 " "  
" Looks like Souse work in this neighborhood."

- East Between Sec. 23 & 26  
 2. 14 Little River 60 links wide. Course S E.  
 Benthys Bearings & witness Correct.

- South Between Sec. 3 & 4.  
 26. 92 A Stream 30 links wide. Course S E.  
 28 76 A Beech 18 in<sup>d</sup> diam.  
 35. 15 Intersected Reserve line. & set post cor. to Sec.  
 3 & 4 from which  
 a Beech 9 in<sup>d</sup> diam. bears N. 41 E. 14 links dist. &  
 a Do 10 " " " N. 77 W. 23 " "  
 Land Rolling & 1<sup>st</sup> rate Timber Sugar. Beech  
 & Hickory. Elm. W. Ash &c.

Thence South 45 W. 28.55. to S W Angle. of  
 Reserve; Thence  
 S 45 E 24.80. to post on the Reserve line  
 between Sec. 3 & 4.

Meanders of Little River  
 Sec 34 T 29 N. R. 10 E

Courses	Distances	Remarks.
N 52 E	10.00	
N. 9. W	6.00	
N 23 $\frac{1}{2}$ W	12.00	
N 32 W	4.00	



## T29 N R 10 E 2nd Mer. Indiana.

Courses	Distances	Remarks
N 67 $\frac{1}{2}$ E	6.00	
N 30 $\frac{1}{4}$ E	12.50	
N 62 E	22.50	
N 50 E	5.00	
N 18 $\frac{1}{2}$ E	18.00	
N 25 $\frac{1}{2}$ E	5.35	To the mile post between Sec. 27 & 34

N 26 E	6.00	In Sec 27
N 5 E	3.00	
N 32 $\frac{1}{2}$ W	7.00	
N 1 $\frac{1}{2}$ W	5.00	
N 14 $\frac{1}{2}$ E	5.00	
N 26 E	17.50	
S 87 $\frac{1}{2}$ E	4.50	
S 57 $\frac{1}{2}$ E	3.00	
S 30 $\frac{1}{2}$ E	6.50	
S 75 $\frac{1}{2}$ E	5.00	
N 8 $\frac{1}{2}$ E	8.00	
N 2 E	7.00	
N 51 E	2.86	To post between Sec. 26 & 27 Thence

S 83 E	5.50	In Sec 26
N 33 $\frac{1}{2}$ W	4.50	
N 7 $\frac{1}{2}$ W	10.00	
N 9 E	4.50	
N 23 $\frac{1}{2}$ E	2.00	
N 55 E	7.50	
N 45 $\frac{1}{2}$ W	8.00	
N 34 $\frac{3}{4}$ W	2.77	Friday Evening Jan 27 <sup>th</sup> 1829 To post between Sec. 23 & 26 from Brookfield.

N 33 $\frac{1}{2}$ W	4.00	In Sec. 23
N 10 $\frac{1}{2}$ W	10.00	
N 50 E	4.00	

432

T 29 A. R. 10 E. Ind. Mer. Indiana.

N 29 E 6.00

S 35 E 5.50

S 70 E 6.50

S 17 E 8.00

N 35 E 12.00

N 87 1/4 W 10.00

N 41 W 5.00

N 28 1/4 W 5.00

N 05 E 2.00

N 77 E 9.50

N 9 3/4 W 8.00

N 13 1/2 E 7.00

N 2 W 5.00

N 33 1/4 E 6.00

N 58 1/2 E 4.00

S. 70 E 5.00

N 24 1/4 E 3.50

N 66 E 8.50

N 28 W 4.00

N 3 E 3.50

N 33 1/2 W 5.50

N 57 E 8.50

N 77 1/2 W 5.45 To Post Between Sec. 14 & 23 Thence

N 54 1/2 W 1.50

In Sec 14

N 32 W 6.00

N 75 W 3.00

N 1. W 7.50

N 30 1/2 E 5.00

N 67 1/2 E 18.50

N 13 1/2 E 3.50

N 48 W 7.50

N 33 W 10.50

N 27 W 5.50

N 21 W 0.50

N 7 W 3.50

# P 29 N R 10 E 10 mi. Indiana

N 12 1/2 E 9.00  
 N 24 1/2 E 3.00  
 N 55 E 3.50  
 N 60 E 4.00  
 N 81 1/2 E 7.50  
 N 73 1/2 E 5.00  
 N 82 1/2 E 3.50 To post between Sec. 11 & 14 Thence

N 21 E 7.00 In Sec 11  
 N 18 E 8.00  
 S 77 E 10.00  
 East - 58 to Meander post between Sec. 11 & 12  
 Jan 5 3. 1829.

## Thence in Sec 12

S 88 1/2 E 4.50  
 N 53 E 3.50  
 N 59 1/2 E 8.00  
 N 23 E 8.50  
 N 20 1/2 W 4.50  
 N 49 W 2.00  
 N 56 1/2 W 7.00  
 N 18 1/4 W 5.50  
 N 16 E 5.50  
 N 30 E 15.00 A Brook 10 links wide. Course S E.  
 N 71 1/2 E 4.50  
 S 77 1/2 E 3.50  
 S 49 1/2 E 4.00  
 S 87 E 4.50  
 N 40 1/2 E 7.00  
 N 12 1/3 E 7.50  
 N 23 1/4 E 4.50  
 N 1 1/3 W 6.90 To post between Sec. 1. & 2 Thence

N 73 E 6.00 In Sec 1  
 N 57 1/2 E 3.50

434

P 29 N. R 10 E 2nd Mer. Indiana

Here the River is not over 10 links wide.

N 3 W 4.50

N 50 W 2.00

N 70 3/4 W 3.00

N 48 W 3.50

N 5 1/2 W 3.00

N 67 1/2 E 5.50

N 11 E 3.50

N 42 E 6.00

N 57 1/4 E 9.00

N 71 E 5.00

N 57 E 5.00

N 65 E 3.50

N 57 E 4.50

N 71 E 14.30 To Range between Sec. 10 & 11

Jan 14<sup>th</sup> On Sunday.

Wm Brookfield

Dep Surveyor



## T 29 N R 10 E 2nd Mer. Indiana.

Measured along from the Range West the  
line between Sec. 28 & 29 N 66. 44. to the  
S.E. Boundary of the Grant N 42 to  
Nch walling quah

Set Post in the Boundary from which  
a W. Oak 40 in. diam. bears N. 40 W. 20 links dist. &  
a Do 41 " " " East 46 " "

Measured thence N. 45 E. along said Boundary  
29. 43 to the East Corner. Dec 28<sup>th</sup> 1839

North Between Sec. 35 & 36

In Grant N 42. to Nch walling quah

55 18 Intersect the N.E. Boundary of said grant  
and set post in said Boundary from which  
an Elm 16 in. diam. bears N. 9 W. 22 links dist. &  
a Hickory 24 " " " S. 58 W. 8 " "

Measured N 45 W. along said Boundary 21 ch.  
and 39 lbs. to the N.W. Corner and S. 45 E  
48. 62 to the East Corner

70 10 An Elm 16 in. diam.

80. 00 Set post Cor. to Sec. 25 26. 35 & 36 from which  
a Beech 18 in. diam. bears S. 2 E. 23 links dist. &  
a Do 20 " " " N. 48 E. 39 " "

Land rolling and good Timber. Beech  
Sugar. Ash. Elm. Oak Hickory. Lynne. &c.  
Underg<sup>th</sup>. Spice. &c.

East On Ransom between Sec. 25 & 36

80 43 Intersect the East Boundary 30 links N.W.  
of the Post.

Land rolling & 2nd rate Timber. Beech  
Ash. Oak. Elm. Sugar. Poplar. Hickory. Lynn  
Walnut &c. Underg<sup>th</sup>. Spice. &c.

West Corrected between Sec. 25 & 36

12. 47 A Buckeye 18 in. diam.

436

T 29 A R 10 E Granger Indiana

29. 04 A Beech 15 in. diam.  
 40. 22 Set a gr sec post from which  
 a Lym 30 in. diam. bears N. 57 E. 37 links dist. &  
 a Hickory 20 " " " S 56 W 17 " "  
 50. 92 An Elm 20 " "  
 69. 32 A Red Oak 40 in. diam.  
 80. 42 To Sec. Corner

West Between Sec. 26 & 35

5. 30 Intersect the S E Boundary of Grant N. 51  
 to Chop-pew  
 Set Post in said Boundary. from which  
 a Beech 24 in. diam. bears S. 81 E. 30 links dist. &  
 a Do 16 " " " N. 69 W. 55 " "  
 Measured along said Boundary S 45 W. 13. 73 to  
 the South cor. of Grant.

North Between Sec. 25 & 26

5. 28 Intersect the S E Boundary of Grant N. 51 to  
 Chop-pew. Set a Post from which  
 a Sugar 36 in. diam. bears S. 4 W. 47 links dist. &  
 a Beech 24 " " " N. 36 W 36 " "  
 Measured N 45 E along the said Boundary. 58.39  
 to the West Boundary of Grant N. 43 to White  
 born thence North 32.98 At line of Sec. 24 & 25

East Between Sec. 24 & 25

9. 70 By the change of the Grant N. 51 this line  
 intersects the S E Boundary of said Grant  
 at 9. 70 from the West Corner. Set a post  
 from which  
 a Beech 16 in. diam. bears N. 50 E. 48 links dist. &  
 an Ash 24 " " " S 69 W 14 " "  
 Measured North 45 W in old Boundary 2.65  
 to the South of the Cor of Grant N. 50 to  
 S. Godfrey & 9. 45 E 44. 71 to the West Bound.

## T 29 N R 10 E. Grant Indian

of Grant N to White Lion.

- West Between Sec. 23 & 26
- 37.00 Intersect the N.W. Boundary of Grant N  
51 to Chappin.  
Set a Post from which a  
Burr Oak 18 in. diam. bears N 40 E 14 links dist  
40.00 Set a gr Sec post from which  
a Maple 24 in. diam. bears N 89 W 10 links dist  
a Do 16 " " " N 78 E 42 " "
- 48.28 A Maple 10 " "
- 50.38 A Burr Oak 40 in. diam.
- 78.42 At little Run. Set post from which  
an Elm 18 in. diam. bears N 21 E 19 links dist  
a Maple 10 " " " S 44 E 28 " "

- \* 10.26 A Beech 24 in. diam.
- 40.00 Set a gr Sec post from which  
a Beech 18 in. diam. bears N 34 W 12 links dist  
a Buck Eye 15 " " " S 36 W 22 " "
- 41.80 Intersect the West Boundary of Grant N 43 to  
White Lion  
Set post from which  
a Buckeye 18 in. diam. bears N 69 W 17 links dist  
a Honey Locust 22 in. " " S 38 E 32 " "  
Measured along said Boundary North 40 1/4<sup>th</sup>  
to the N.W. corner & South 39 5/8 to the S.W. Cor

- West Between Sec. 13 & 24
- 14.37 A Beech 20 in. diam.
- 27.13 A Beech 14 " "
- 40.00 Set a gr Sec post from which  
a Beech 20 in. diam. bears S 59 W 7 links dist  
a Sugar 10 " " " N 82 E 29 " "
- 54.77 Intersect the East Boundary of Grant N 49

438

T 29 N R 10 E Ind. Mer. Indiana

Darius Godfrey

Set a Post on the S E Boundary from which  
a Beech 16 in. diam. bears N 54 E 39 links dist. 8  
an Elm 13 " " " N 57 W 30 " "

Measured along the East Boundary N 45 E  
to 11. 12 to the East cor.

Land not described.

West Between Sec. 12 & 13.

O. 21 Intersect the N E Boundary of Grant No 48  
to Susan

Set Post in old Boundary. from which  
a Beech 24 in. diam. bears S 55 W 10 links dist. 8  
a Do 22 " " " N 25 E 9 " "

Measured S. 45 E. along the N E Boundary  
2.55 links to the South Corner. & North 45 W.  
to the South cor. of Grant No 47 to K. L. Melting  
quah

Dec, 28<sup>th</sup> 1831.



## T. 29 N. R. 10 E. 2nd Mer. Indian

Meanders of Left Bank of Little River  
 Measured from the line of Secs 23 & 26  
 At 45 E along the N. W. Boundary of Grant  
 No 51 to chop-sure 33.04 to S. Cor. of said  
 Grant. thence N 45 West along the S. W.  
 Boundary of Grant No 50 to Frances God-  
 frey 48. 55 to the West cor. of said corner  
 Grant at the Left Bank of Little River  
 Thence down stream in Sec 23.

Courses	Distances	Remarks.
S. 20 W	3.25	
N 75 W	6.00	At 50 Longhorn Creek Course South.
S 38 W	7.50	
S 5 W	14.00	
S 14 E	6.00	
S 59 W	10.50	
S 34 E	4.00	
S 83 E	5.00	
N 50 E	7.00	
S 54 E	5.00	
S 6 E	2.00	
S 42 W	16.00	
N 88 W	3.00	
N 34 W	10.00	
N 60 W	6.50	
S 50 W	6.00	
S 15 W	6.00	
S 32 E	9.00	To line of Secs 23 & 26 Thence

S 32 E	2.00	In Sec 26
S 53 E	7.00	
S 19 W	3.50	
S 53 W	7.00	
S 8 W	7.00	
S 10 E	5.00	At the North cor. of Grant No 52
Measured South 45 E. along the N. E. Boundary		

440

T 29 N R 10 E 3rd Mer. Indiana.

of said Grant 1180 to the West corner of Grant  
N 51 to Chop-per Thence N. 45 E. along the  
N W Boundary of said Grant 47.23 Links  
to line of Sec. 23 & 26;

C. Carter

Dep. Surveyor

I Certify that in pursuance of a Contract with  
E. J. Haines Esq. Surveyor General of the  
United States for the States of Ohio, Indiana  
and Michigan, bearing date the 20th day of  
April 1839 & in strict conformity to the  
Laws of the United States & the instructions  
of said Surveyor General, I have surveyed  
and subdivided into Sections Fractional  
Township N 29 North of Range N 10 East  
in the State of Indiana, and that the  
foregoing are the true, original, field Notes  
of the said survey and subdivision, which  
lies S. E. of Little River  
Certified this 30th day of Dec. 1839.

C. Carter

Dep Surveyor

## T. 29 N. R. 10 E. 2nd Mer. Indian.

Continuation of the Survey of Town 29 N. R. 10 E. 2nd Mer. Commenced on the 1<sup>st</sup> and finished on the 3<sup>d</sup> of Jan<sup>y</sup> 1840

North Between Sec<sup>s</sup> 11 & 12

8. 50 Enter wet Prairie

17. 66 Set a Post cor. to Sec<sup>s</sup> 1. 2. 11 & 12.

No tree near. & Mound cannot be raised.  
Ground too hard

East On Random between Sec<sup>s</sup> 1 & 12

17. 84 Intersect the S.E. Boundary 17 links South of the Post.

Land all wet Prairie

West Corrected between Sec<sup>s</sup> 1 & 12

17. 84 To Sec Corner

North Between Sec<sup>s</sup> 1 & 2

28. 45 Set a Post on front Bank of the Ten Part of the Canal. No tree convenient and no Mound could be raised the ground being very hard frozen

40. 10 Set a gr Sec post from which  
a Cottonwood 15 in<sup>o</sup> diam<sup>r</sup> bears N. 37<sup>o</sup> W. 126 links dist  
La Do 10 " " " N. 78<sup>o</sup> W. 147 " "

41. 23 Set Post in rear of Canal lots where  
an Ash 12 in<sup>o</sup> diam<sup>r</sup> bears N. 39<sup>o</sup> W. 80 links dist &  
an Elm 10 " " " S. 78<sup>o</sup> W. 74 " "

48. 39 A N. Ash 28 in<sup>o</sup> diam<sup>r</sup>

72. 57 An Ash 14 " "

85. 37 Intersect Town line 16 links West of the Post

Set a Post between Sec<sup>s</sup> 1 & 2 from which  
a W Oak 24 in<sup>o</sup> diam<sup>r</sup> bears S. 23<sup>o</sup> W. 58 links dist &  
a Hickory 5 " " " S. 70<sup>o</sup> E. 26 " "

Land S.E. & E of Canal all wet Prairie

N. W of Canal open W Oak. not much Underg<sup>n</sup>

442

T 29 A. R. 10. E. 2nd Mer. Indiana

Jan<sup>y</sup> 1<sup>st</sup> 1840

West	Between Sec <sup>s</sup> 11 & 12
3. 33	Intersect the S.W. Boundary at Post.
North	Between Sec <sup>s</sup> 10 & 11
25 88	Set a gr. Sec post from which a Beech 18 in. diam. bears S. 13 N. 12 links dist 18 a Oak 20 " " " N 55 E 36 " "
45 95	A Beech 20 " "
60. 15	A Oak 24 " "
65. 88	Set a Post Cor. to Sec <sup>s</sup> 2, 3, 10 & 11 from which a Beech 28 in. diam. bears S 55 N. 17 links dist 8 a Water Beech 1 in. " " N. 29 E. 27 " " Land Rolling & good.
East	On Random between Sec <sup>s</sup> 2 & 11
29. 50	A Stream 25 links wide. Course S E
65 10	A outer edge of the Ten-path. Bank of the Canal.
81. 30	Intersect 90 links South of the Post West of the Canal. Land rolling & thinly timbered with Oak. East of the Canal. Old Mt Prairie
West	Connected between Sec <sup>s</sup> 2 & 11
15. 71	Set a Post on the outer Bank of the Ten-path from which a W. Oak 24 in. diam. bears S. 4 E. 181 <u>No other tree convenient</u>
23. 22	Set a Post on the rear line of Canal lots from which a W. Oak 36 in. diam. bears N 33 E 12 links dist 8 No other tree convenient
40 65	Set a gr. Sec post from which a W. Oak 24 in. diam. bears S 61 N. 42 links dist 8 a Red Oak 20 " " " S 70 E 36 " "



T 29 A R 10 E. 2<sup>nd</sup> Mer Indiana

50 27 A Walnut 20 in. diam.

68. 58 A Beech 24 " "

81. 30 To Sec Corner

North Between Sec. 2 &amp; 3

14. 02 A Buckeye 24 in. diam.

29. 57 A Stream 20 links wide Course S E

30. 00 A W Oak 30 in. diam.

40. 00 Set a gr. Sec post from which  
a W Oak 14 in. diam. bears N 42 E 24 lks. dist  
To Co. 14 " " " S 59 W 28 " "

55 90 An Ashwood 5 in. "

72 83 A Beech 10 " "

86. 28 Intersect the Town line 2.40 links West of  
the Post.Set a Post Between Sec. 2 & 3 from which  
a Beech 18 in. diam. bears S 73 E 48 lks. dist. &  
" To 48 " " " S 68 W 68 " "Land Rolling & good 2<sup>nd</sup> rate Timber. Beech  
Oak Sugar. Ash. Elm. Buckeye Walnut &  
Underg<sup>th</sup> Spice &c.

West On Random between Sec. 3 &amp; 10

65. 44 Intersect the E. W Boundary 13 links North  
of the PostLand Rolling & good 2<sup>nd</sup> rate. Timber  
Beech. Oak. Ash Sugar. Elm. Hickory. Gynm &  
Underg<sup>th</sup> Spice &c.

East Corrected between Sec. 3 &amp; 10

10. 03 A Beech 18 in. diam.

25. 44 Set a gr. Sec post from which  
a Beech 24 in. diam. bears N 25 E 28 links dist.  
To Co. 22 " " " S 59 W 11 " "

37. 54 An Ash 28 " "

58 69 A Beech 20 " "

444

T 29. R 10 E. 2nd Mer. Indiana

65.44 To Sec Corner

North Between Sec. 3 & 4

11.69 A Buck 10 in. diam.

25.84 Set a q. Sec. post from which  
a Buck 30 in. diam. bears S. 42 E. 14 links dist. &  
a Buckeye 15 " " " N. 11 W. 28 " "

35.16 Intersect the N. W. Boundary and set a Post  
from which  
a Buck 10 in. diam. bears N. 9 E. 32 links dist. &  
a Co 24 " " " S. 3 W. 37 " "  
Measured N. 45 E. along the N. W. Boundary 3.39  
to the intersection of the exterior line from the North.  
Land rolling & 2nd rate

Measured from the cor of Sec. 1 & 2 along the  
Township line East 34.06 to the Rear Boundary  
of Canal lots.

Jan 4<sup>th</sup> 2<sup>d</sup> 1840

Meanders of the Bank of the Tow Path of the  
Bank of the Canal

Measured from the line of Sec. 11 & 12. S. 45 W.  
along the S. E. Boundary of the Reserve 50.50  
ch. to the outer edge of the Tow Path of the Canal

Set a Post from which  
an Ash 18 in. diam. bears S. 41 E. 135 links dist. &  
a Burr Oak 10 in. " " N. 77 E. 70 " "

Thence up the S. E. Bank of the Canal  
with the Meanders.

Course	Distances	Remarks
N 11 E	12.50	
N 18 E	7.00	
N 30 E	7.50	
N 25 E	4.50	
N 13 E	5.50	

## T 29 N. R 10 E Ind. Mer Indian

Course	Distances	Remarks
N 5 E	3.00	
N 23 E	3.00	
N 36 E	23.23	At line of Sec 11 Thence
N 28 1/4 E	32.82	In Sec 2 At line of Sec 12
N 28 1/4 E	22.00	In Sec 1
N 37 E	33.50	
N 40 1/4 E	2.50	
N 48 E	13.18	Intersect the S W. Boundary of Grant N. 54 to Cha pine and set a post from which a W. Oak 24 in. diam. bears S 83 E 13 1/2 links dist. 8 a Thorn 6 " " " S. 12 W. 81 " " Measured thence S 45 E along the S W Bound- ary 43.83 to the South Corner.
Measured from the line of Sec 11 N 44 N 45 E along the S E Boundary of the Reserve 1875 ch to the rear line of Canal Lots, Set post in old rear line, from which a W. Oak 5 in. diam. bears N 34 E 7 links dist. 8 a Do 5 " " " N 35 W. 17 " " Thence along the rear line of Canal Lots with the Meanders		
N 11 E	20.50	
N 18 E	9.50	
N 35 E	7.50	
N 25 E	3.50	
N 13 E	5.50	
N 5 E	4.00	
N 35 E	19.74	At line of Sec. 2 N 11 Thence
In Sec. 2.		
N 28 1/4 E	47.40	At line of Sec. 1 + 2

446

T 29 N R 10 E. Driller. Indiana

N 28 $\frac{1}{2}$  E 11.00 In Sec 1

N 37 E 34.50

N 41 $\frac{1}{2}$  E 2.50

N 48 E 8.16 Intersect the Town line at Post.  
Jan<sup>y</sup> 3<sup>d</sup> 1840

Surveyed by  
C. Carter D. S.

East On S. boundary Sec. 34, T30 N R10 E.

Beginning at W. boundary of the Res. of ten sections at  
Raccoon village

4.68 Set of Sec. post, from which a Beech 36 in. diam. bear  
N 36 E 43 $\frac{1}{2}$  lks. dist. of a No. 20 in. diam. bear N 39 W 31 $\frac{1}{2}$  lks. dist.

17.41 a Maple 18 in. diam.

30.00 a Beech 20 " "

44.68 Set post Cor. to Sec. 34 & 35 from which a Beech 14 in. diam. bear  
N 8 W 17 $\frac{1}{2}$  lks. dist. of a No. 20 in. diam. bear N 85 E 46 $\frac{1}{2}$  lks. dist. of  
Land rolling 2<sup>d</sup> rate Beech, Ash, Elm, Oak, Hickory, Sugar, Poplar  
Sycam, Spruce &c.

East On S. boundary Sec. 35 T30 N. R10 E.

10.28 a W. Oak 40 in. diam.

25.35 a Hickory 30 " "

40.00 Set of Sec. post, from which a W. Oak 14 in. diam. bear N 46 W 11 $\frac{1}{2}$  lks.  
of a No. 30 in. diam. bear N 79 E 39 $\frac{1}{2}$  lks. dist.

52.90 an Elm 4 in. diam.

66.64 a W. Oak 10 " "

80.00 Set post Cor. to Sec. 35 & 36, from which a W. Oak 24 in. diam. bear N 57 E  
35 $\frac{1}{2}$  lks. dist. of a No. 36 in. diam. bear N 68 W 49 $\frac{1}{2}$  lks. dist.  
Land timber &c. same as on the last mile.

East On S. boundary of Sec. 36, T30 N. R10 E.

33.90 Set post in rear line of Canal lot, from which a W. Oak 36  
in. diam. bear N 25 E 42 $\frac{1}{2}$  lks. of a No. 24 in. diam. bear N 45 W 14 $\frac{1}{2}$  lks. dist.

40.00 Set of Sec. post, from which a W. Oak 20 in. diam. bear N 77 W 55 $\frac{1}{2}$  lks.  
No other tree Convenient. Set post in outer edge of the town  
path Bank of Canal No trees Convenient

84.16 Intersected Range line, Set post, no trees near of no  
mound raised the ground being too hard frozen.



T. 29 N R. 10 E 2nd Mer. Indian.

Ch. W.

Measured South on Range line 19.93 to the Corner of T. 29 N 30  
R. 11 E. Variation  $5^{\circ} 30'$ . I found that a line had  
previously been run here at the variation above, & followed to  
the prairie & extended it to the range line. Dec. 31, 1839

I hereby Certify ~~Certify~~ that in pursuance  
of a Contract with E. G. Haines Esq. Surveyor  
General of the United States for the State of  
Ohio Indiana & the Ter. of Michigan, bearing  
date the 20th day of April 1839. and in strict  
conformity to the Laws of the United States  
and the instructions of the said Surveyor  
General. I have surveyed & subdivided into  
Sections. Township No. 29 North of Range  
No. 10 East, of the 2nd Mer. in the State of  
Indiana (Fractional) & I further Certify that  
the foregoing are the true and original Field  
Notes of the said survey and subdivisions  
of that part of Fractional Township which  
lies in the Paccan Village Reservation  
executed as aforesaid

Certified this 3rd day of January 1840

C. Carter

Dep<sup>y</sup> Surveyor

E. Farguhar  
Wm Miller } Chainmen

I Certify that the foregoing transcripts of the  
Field Notes of Township No. 29 North of Range No. 10  
East of the 2nd Mer. in the State of Indiana, has  
been compared with the original notes in  
this Office and found to be correct.

Surveyor Genl. Office

Cincinnati July 3rd 1844

William Johnston  
Sur. Genl.